

## N 90, BUILT-IN OVEN WITH STEAM FUNCTION, 60 X 60 CM, FLEX DESIGN B69FY5CY0A



\*Twist Pad Flex© sold separately



Neff Flex Design built-in oven with Intensive Full Steam, Slide & Hide and now Flex Control - changeable design elements with different colours to choose from and a Premium Full 6.8" Touch TFT Display. An easy to use door that gently sides under the oven and hides away, including the Multipoint Meatprobe with the new forecast finish function. You can also control your oven with Home Connect - use your oven via the App, available for IOS and Android.

- ✓ Premium 6.8" Full Touch TFT Display - Easy to use and intuitive interface for maximum comfort.
- ✓ Full Steam - Oven, 100% Steam or added steam you can have it all. Make your food juicy and crisp or 100% steam, cook your vegetables or dumplings for succulent dishes
- ✓ Twist Pad Flex - An easy to spin dial for effortless control of your appliances with Flex Control.
- ✓ Flex Control - Whether twisting or turning, the high-resolution interface adapts to you!
- ✓ Flex Design - Choose a finishing touch to match your kitchen's aesthetic - now and later!

Z11AB15A0 Baking tray, non-stick ceramic coated, Z11AU15A0 Universal pan, non-stick ceramic coated, Z11CG10X1 AirFry & Grill Set, Z11CR10X0 Baking and roasting grid (standard), Z11SZ00X1 SC FlexDesign mounting kit, Z12CB10A0 Baking tray, enamelled, Z12CL10A0 Lid for professional pan, enamelled, Z12CM10A0 Moussaka pan, enamelled, Z12CN10A0 Professional pan, enamelled, Z12CP10A0 Pizza pan, enamelled, Z12CU10A0 Multipurpose pan, enamelled, Z1365WX0 Wireless food thermometer, Z13CR10X0 Baking and roasting grid (steam), Z13CV06S0 Decor strip, Z1608DX0 Full ext rails, level independent, steam, Z1650DU0 2 steamcontainer(punched/unpunched)sizeM, Z1655CA0 Air Fry & Grill tray, Z9060AY0 (SC)FlexDesign AG 60 Oven 60, Z9105AY0 SC FlexDesign AG 105 60 + 45, Z9105BY0 SC FlexDesign BB 105 60 + 45, Z9105DY0 SC FlexDesign DB 105 60 + 45, Z9060BY0 (SC)FlexDesign BB 60 Oven 60, Z9060DY0 (SC)FlexDesign DB 60 Oven 60, Z9060MY0 (SC)FlexDesign MS 60 Oven 60, Z9075AY0 SC FlexDesign AG 75 WD 14 + 60, Z9075BY0 SC FlexDesign BB 75 WD 14 + 60, Z9075DY0 SC FlexDesign DB 75 WD 14 + 60, Z9075MY0 SC FlexDesign MS 75 WD 14 + 60, Z9098AY0 SC FlexDesign AG 98 60 + MW 38, Z9098BY0 SC FlexDesign BB 98 60 + MW 38, Z9098DY0 SC FlexDesign DB 98 60 + MW 38, Z9098MY0 SC FlexDesign MS 98 60 + MW 38, Z9105MY0 SC FlexDesign MS 105 60 + 45, Z912AAY0 SC FlexDesign AG 120 WD14 + 60 + 45, Z912ABY0 SC FlexDesign BB 120 WD14 + 60 + 45, Z912ADY0 SC FlexDesign DB 120 WD14 + 60 + 45, Z912AMY0 SC FlexDesign MS 120 WD14 + 60 + 45, Z912BAY0 SC FlexDesign AG 120 60+60, Z912BBY0 SC FlexDesign BB 120 60+60, Z912BDY0 SC FlexDesign DB 120 60+60, Z912BMY0 SC FlexDesign MS 120 60+60, Z9801TWAY0 Twist Pad Flex, Anthracite Grey, Z9801TWBY0 Twist Pad Flex, Brushed Bronze, Z9801TWDY0 Twist Pad Flex, Deep Black, Z9801TWMY0 Twist Pad Flex, Metallic Silver, Z990AAY0 SC FlexDesign AG 90 WD 29 + 60, Z990ABY0 SC FlexDesign BB 90 WD 29 + 60, Z990ADY0 SC FlexDesign DB 90 WD 29 + 60, Z990AMY0 SC FlexDesign MS 90 WD 29 + 60

Built-in / Free-standing: ..... Built-in  
Door opening: ..... Drop down  
Integrated Cleaning system: ..... EcoClean program  
Control Panel Material: ..... Glass  
Door Material: ..... Glass  
Dimensions: ..... 595x596x548 mm  
Dimensions of the packed product (HxWxD): . 675 x 660 x 690 mm  
Required niche size for installation (HxWxD): 585-595 x 560-568 x 550 mm  
Cavity dimensions: ..... 355 x 480 x 415 mm  
Usable volume (of cavity) - NEW (2010/30/EC): .....71 l  
Number of interior lights: ..... 1  
Net weight: ..... 41.0 kg  
Gross weight: ..... 43.9 kg  
EAN code: .....4242004266358  
Connection Rating: ..... 3600 W  
Fuse protection: ..... 16 A  
Voltage: ..... 220-240 V  
Frequency: ..... 50; 60 Hz  
Length electrical supply cord: ..... 120 cm



Z11SZ00X1 SC FlexDesign mounting kit, Z9060AY0 (SC)FlexDesign AG 60 Oven 60, Z9060BY0 (SC)FlexDesign BB 60 Oven 60, Z9060DY0 (SC)FlexDesign DB 60 Oven 60, Z9060MY0 (SC)FlexDesign MS 60 Oven 60, Z9075AY0 SC FlexDesign AG 75 WD 14 + 60, Z9075BY0 SC FlexDesign BB 75 WD 14 + 60, Z9075DY0 SC FlexDesign DB 75 WD 14 + 60, Z9075MY0 SC FlexDesign MS 75 WD 14 + 60, Z9098AY0 SC FlexDesign AG 98 60 + MW 38, Z9098BY0 SC FlexDesign BB 98 60 + MW 38, Z9098DY0 SC FlexDesign DB 98 60 + MW 38, Z9098MY0 SC FlexDesign MS 98 60 + MW 38, Z9105AY0 SC FlexDesign AG 105 60 + 45, Z9105BY0 SC FlexDesign BB 105 60 + 45, Z9105DY0 SC FlexDesign DB 105 60 + 45, Z9105MY0 SC FlexDesign MS 105 60 + 45, Z912AAY0 SC FlexDesign AG 120 WD14 + 60 + 45, Z912ABY0 SC FlexDesign BB 120 WD14 + 60 + 45, Z912ADY0 SC FlexDesign DB 120 WD14 + 60 + 45, Z912AMY0 SC FlexDesign MS 120 WD14 + 60 + 45, Z912BAY0 SC FlexDesign AG 120 60+60, Z912BBY0 SC FlexDesign BB 120 60+60, Z912BDY0 SC FlexDesign DB 120 60+60, Z912BMY0 SC FlexDesign MS 120 60+60, Z990AAY0 SC FlexDesign AG 90 WD 29 + 60, Z990ABY0 SC FlexDesign BB 90 WD 29 + 60, Z990ADY0 SC FlexDesign DB 90 WD 29 + 60, Z990AMY0 SC FlexDesign MS 90 WD 29 + 60

## N 90, BUILT-IN OVEN WITH STEAM FUNCTION, 60 X 60 CM, FLEX DESIGN B69FY5CY0A

### Heating Functions

- Combi-steam oven with 24 heating methods: CircoTherm
- Air fry
- Bread Baking
- Full surface grill
- CircoTherm gentle
- Centre area grill
- Top/Bottom heat
- Top/bottom heating gentle
- Pizza setting
- Low temperature / slow cooking
- Bottom heat
- CircoRoasting
- Pre-Heating
- Keep warm
- Steam heating method: Defrost with steam
- FullSteam: 100% Steam
- Dough Proving with up to 100% Steam
- Reheating with up to 100% Steam
- Sous-vide cooking with up to 100% steam
- Combination steam and Oven heating method: CircoTherm + steam
- Bread Baking + steam
- Top/bottom heat + steam
- CircoRoasting + steam
- warming + steam
- Temperature range 30 °C - 250 °C
- Rapid heat-up: Reduce the preheat time at the touch of a button

### Racks and Rails

- Number of shelf levels: 4
- Telescopic rails: 1 Clip-on rail, with safety stop function, full extension

### Design

- Flex Design: 4 elegant colours of your choice, Anthracite-Grey, Brushed-Bronze, Deep-black, Metallic-Silver.
- Anthracite enamel cavity with 4 shelf positions
- Premium 6,8" Full Touch TFT Display, with optional Twist Pad Flex control
- Full Touch Control
- Cavity volume: 71 l
- Cooling fan

### Cleaning

- EcoClean Direct: A special coating of microfine ceramic spheres which covers the interior walls and the roof of the oven - gently breaks down grease spatters while you bake. EcoClean (Integrated in the construction of the oven) - ceiling, EcoClean - rear wall, EcoClean (Integrated in the construction of the oven) - sides
- Easy Clean cleaning program

### Convenience

- Slide&Hide: The fully retractable oven door disappears under the oven cavity. Slide&Hide ovens come with a rotating handle
- SoftMove oven door with soft close, damping system keeps doors from slamming closed, with SoftOpen system, Hide, the fully retracting oven door.
- Oven Assistant with Voice Control: With the use of Amazon Alexa or Google home, once fully set up.
- Electronic clock
- Full glass inner door - safe touch door
- Automatic Temperature control for each function
- Temperature control and display on screen
- Residual heat indicator
- remaining time prediction
- Meat probe
- Never guess again, this function allows you to plan by providing a forecasted finished cooking time - no guessing needed using the meat probe with the Multipoint (3 sensors) meat probe
- Built in cooking functions: Dish categories
- There are 3 different selectable added steam levels: steam level high, steam level middle, steam level low
- Steam Jet: A manually activated burst of steam active for 3 minutes can be reactivated up to 10 times in each cooking session
- Water tank empty indicator
- Independent oven interior light button, LED lighting
- Stainless-steel fan
- HomeConnect ready on Wi-Fi, Remote diagnostics
- Home Connect helps you to unleash your cooking creativity by allowing you to manage your oven, warming drawer and coffee machine over your Wi-Fi. Tap via the app, speak to your oven with voice control, and make appliances interact with one another automatically. Home Connect is an ever-growing platform that brings the future to your kitchen
- Software Update Appliance

### Safety Features

- Low door temperature, when in use or cleaning functions
- Triple glass door panel glazed, Low door temperature when in use.
- Individual adjustable child lock
- Residual heat indicator
- Safety switch off
- Start button
- door contact switch

### Accessories

- air fry & grill tray, steam container, punched, size M, Large perforated stainless steel tray, steam container, unpunched, size M, 1 x Wire rack, 1 x Universal pan

### Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

### Dimensions:

- Appliance dimension (HxWxD): 595 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing