

# Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG7784B1









#### Included accessories

- 1 x enamel baking tray
- 1 x combination grid 1 x universal pan

#### Optional accessories

HEZ327000 Pizza stone, HEZ333001 Lid for professional pan, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 , HEZ617000 Pizza pan, anthracite enamelled, HEZ629070 , HEZ631070 , HEZ632070 , HEZ633001 , HEZ633070 , HEZ633073 , HEZ634000 , HEZ635001 , HEZ636000 , HEZ638070 , HEZ664000 , HEZ915003 , HEZG0AS00

The built-in added steam oven with Digital Control Ring and TFT-touchdisplay Pro. Assist function for meals: automatically prepares your dishes so they're crispy and juicy, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.

- TFT Touch Display Pro: control with an innovative Digital Control Ring and full TFT touchscreen.
- Added Steam Function: your foods turn out crispy on the outside and juicy on the inside.
- Air Fry Function with tray: for perfectly fried foods, such as vegetables and chips.
- **Digital Control Ring:** the simple and innovative way to select oven settings.
- **Pyrolytic self-cleaning:** automatically cleans the oven, just wipe out the ash.

#### **Technical Data**

Gross weight: 48.0 kg

Built-in / Free-standing : Built-in

Integrated Cleaning system: Pyrolytic+Hydrolytic

Min. required niche size for installation (HxWxD): 585-595 x

560-568 x 550 mm

Dimensions : 595 x 594 x 548 mm

Dimensions of the packed product (HxWxD): 675 x 690 x 660

mm

Control Panel Material : Glass

Door Material : Glass Net weight : 45.6 kg

Usable volume of cavity : 71  $\mbox{l}$ 

Cooking method: 4D hot air, Air fry, Bottom heat, Conventional heat, Conventional heat gentle, Defrost, Dehydrate, Full width grill, Half width grill, Hotair gentle, Hot air grilling, Intensive heat, low temperature cooking, Pizza setting, pre-heating,

Regeneration, warming Number of interior lights: 1

Length electrical supply cord: 120.0 cm

Interior Lights - cavity 1:1

Telescopic Racking System : Accessory

grid, 1 x universal pan

Broil Element Wattages cavity 1 : 2800 W Convection Element Wattages cavity 1 : 2200 W

Energy efficiency rating: A+

Energy consumption per cycle conventional (2010/30/EC) :

0.87 kWh/cycle

Energy consumption per cycle forced air convection (2010/30/

EC): 0.69 kWh/cycle

Energy efficiency index (2010/30/EC): 81.2 %

Connection Rating: 3600 W Fuse protection: 16 A Voltage: 220-240 V Frequency: 50; 60 Hz

Plug type: Gardy plug w/ earthing

Energy input : Electric

Required cutout/niche size for installation (in): x Dimensions of the packed product: 26.57 x 25.98 x 27.16

Net weight: 100.000 lbs Gross weight: 106.000 lbs

Length electrical supply cord: 120.0 cm

Net weight: 45.6 kg

Included accessories : 1 x enamel baking tray, 1 x combination

grid, 1 x universal pan





# Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG7784B1

The built-in added steam oven with Digital Control Ring and TFT-touchdisplay Pro. Assist function for meals: automatically prepares your dishes so they're crispy and juicy, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.

#### **Heating Functions**

- Oven with 22 heating methods: 4D Hot Air
Defrost Air fry Dehydrate Full width grill Hotair gentle
Intensive heat Half width grill Top/Bottom heating
Conventional heat gentle Pizza setting Low temperature /
slow cooking Bottom heating Hot-air grilling Plate warming
Keep warmSteam heating method: Dough Proving
ReheatingCombination steam and Oven heating method: 4D
Hot air

Conventional heat Hot air grilling warming

- Automatic rapid heat function
- Temperature range 30 °C 300 °C

#### Rails

- Number of shelf levels: 5
- Telescopic rails: telescopic rails available as optional accessory, Pyrolytic telescopic rail - full extension, full adjustment to any shelf level

#### Design

- Anthracite enamel cavity with 5 shelf positions
- Digital Touch Control Ring
- Touch control
- TFT-Touchdisplay Pro (160 mm x 70 mm)
- Switch for oven illumination, LED lighting
- Cavity volume: 71 l
- Cooling fan

#### Cleaning

- Pyrolytic cleaning function
- Easy Clean cleaning program: Just add 400ml water and a drop of washing-up liquid in the base pan (recessed area on the bottom of the oven cavity) and run the EasyClean program. This helps to soften baked-on residue so that you can just wipe it down for fast and uncomplicated cleaning
- New design full glass inner door, easy to clean with simple access to the door glass - now with QR code support on how separate the inner door for cleaning

#### Convenience

- PerfectRoast Plus: using the multipoint meatprobe and with Al and software to predict and show the time when your roasting will be finished
- PerfectBake Plus: delivering you the best results, by using the baking sensor and AI software to predict and show the time when your baking will be finished; to provide you brilliant baking results every time
- Steam Jet: A manually activated burst of steam active for 3 minutes can be reactivated up to 10 times in each cooking session
- There are 3 different selectable added steam levels: steam level high, steam level middle, steam level low
- Water tank empty indicator
- Crisp finish: A smart function that removes all of the moist air from the oven, to provide a dry hot environment to crisply finish your cooking
- Oven Assistant with Voice Control: With the use of Amazon Alexa or Google home, once fully set up.
- Built in cooking functions: Bosch Assist automatic oven sensor cooking technology
- Electronic clock/timer with end time programming
- Automatic Temperature control for each function Temperature control indicator Actual temperature display Forecasted finish time: Clever use of AI and software to predict when your cooking will be finished Meat probe, set and wait temperature cooking
- SoftMove oven door with soft open and soft close, Drop down oven door with SoftOpen and SoftClose, Bottom hinged door
- Location of the steam generator is outside of the cavity.
- HomeConnect ready on Wi-Fi, iService Remote: Our local service team can assist and support with any issues, but using Home Connect and digital access to your oven via the internet

Home Connect helps you to unleash your cooking creativity by allowing you to manage your oven, warming drawer and coffee machine over your Wi-Fi. Tap via the app, speak to your oven with voice control, and make appliances interact with one another automatically. Home Connect is an evergrowing platform that brings the future to your kitchen Once connected with the Home Connect App, your oven will have the full benefits of being able to complete software updates, enabling your oven to have the latest software

### **Safety Features**

- Low door temperature during pyrolitic cleaning
- Quadruple glass door panel glazed, Low door temperature, when in use
- Child lock
   Residual heat indicator Automatic switch off Start button
   Door contact safety switch Door lock

#### **Accessories**

- enamel baking tray, combination grid, universal pan



#### **Technical Information**

Length of mains cable: 120 cmNominal voltage: 220 - 240 V

- Total connected load electric: 3.6 KW


#### **Dimensions:**

- Appliance dimension (HxWxD): 595 mm x 594 mm x 548 mm

- Installation dimensions (HxWxD): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing



### Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG7784B1



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

| Hob type                      | min. worktop thickness |       |
|-------------------------------|------------------------|-------|
|                               | fitted                 | flush |
| Induction hob                 | 37 mm                  | 38 mm |
| Full surface<br>Induction hob | 47 mm                  | 48 mm |
| Gas hob                       | 30 mm                  | 38 mm |
| Electric hob                  | 27 mm                  | 30 mm |

