


**Series 6, Gas cooktop, 90 cm,
Stainless steel
PCT9A5B90A**



HEZ211310 Simmer cap
HEZ298105 Simmer plate

**The stainless-steel gas cooktop with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

- **FlameSelect:** adjust the gas flame precisely using nine defined power levels.
- **Low profile stainless steel cooking surface is easily accessible and quick to clean.**
- **Sword control knobs: for an ergonomic control.**

Product name/family:gas hob w integrated controls
 Built-in / Free-standing: Built-in
 Energy type: Gas
 Total number of positions that can be used at the same time: 6
 Type of control setting devices: sword knobs
 Min. required niche size for installation (HxWxD):45 x 850-852 x 490-502 mm
 Width of the appliance:915 mm
 Dimensions: 53 x 915 x 520 mm
 Dimensions of the packed product (HxWxD): ... 165 x 1116 x 659 mm
 Net weight:20.7 kg
 Gross weight: 23.0 kg
 Residual heat indicator: without
 Location of control panel: Front
 Basic surface material: Stainless steel
 Color of surface: Stainless steel
 Length electrical supply cord: 100.0 cm
 EAN code:4242002914626
 Gas connection rating: 17500 W
 Fuse protection:3 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz



4 242002 914626

**Series 6, Gas cooktop, 90 cm,
Stainless steel
PCT9A5B90A**

**The stainless-steel gas cooktop with
FlameSelect: achieve perfect cooking
results thanks to nine precisely defined
power levels.**

Design

- Stainless steel

Comfort & Convenience

- FlameSelect (9 steps)
- Sword control knobs
- One hand electronic ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

Size & Power

- 6 Gas Burners
- Dual Flame Wok Burner
- 1 High-Speed, 2 Standard, 1 Economy, 2 Dual Wok burners
- Left rear: Standard burner up to 6.5 Mj/h
- Right rear: High-speed burner up to 11 Mj/h
- Center rear: Standard burner up to 6.85 Mj/h
- Center front: Economy burner up to 4 Mj/h
- Left front: Wok burner up to 19.5 Mj/h
- Right front: Wok burner up to 19.5 Mj/h

Safety and Environment

- Flame failure device fitted to each individual burner
- Nozzle presetting/main jet: Natural gas 10 mbar (Australian)

Dimensions

- Power cord length: 100 cm with plug

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

**Series 6, Gas cooktop, 90 cm,
Stainless steel
PCT9A5B90A**

