

# Series 8, Gas cooktop, 90 cm, Ceramic, Black PRS9A6D70A







HEZ298105 Simmer plate HEZ298114 Small pot support

# The ceramic glass gas hob with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

- FlameSelect: adjust the gas flame precisely using nine defined power levels.
- **Digital display**: to indicate the selected power level and residual heat for more comfort and safety.
- Dual Wok Burner: versatile burner for high temperature and gentle cooking all in one.
- Ceramic glass surface: highly heat-resistant as well as easy to clean.
- Dishwasher-safe pan supports: make cleaning your cooktop even

Product name/family:gas hob w integrated controls Built-in / Free-standing:
490-502 mm
Width of the appliance:
Dimensions:
Dimensions of the packed product (HxWxD): 165 x 1116 x 659 mm
Net weight:
Gross weight:
Residual heat indicator:
Location of control panel: Front
Basic surface material:Ceramic
Color of surface:Black, Alu, brushed
Color of frame:Black
Length electrical supply cord:100.0 cm
EAN code:
Gas connection rating:
Fuse protection:3 A
Voltage:
Frequency:





Series 8, Gas cooktop, 90 cm, Ceramic, Black PRS9A6D70A

The ceramic glass gas hob with FlameSelect: achieve perfect cooking results thanks to nine precisely defined power levels.

#### Design

- Ceramic Glass

#### **Comfort & Convenience**

- FlameSelect (9 steps)
- Digital temperature display
- Sword control knobs
- One hand electronic ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

## Size & Power

- 5 Gas burners
- Dual Flame Wok Burner
- Right rear: High-speed burner up to 11.6 Mj/h
- Left: Wok burner up to 22 Mj/h (depending on gas type)
- Center rear: Economy burner up to 4.8 Mj/h
- Center front: Standard burner up to 8.1 Mj/h
- Right front: Standard burner up to 8.1 Mj/h
- Additional tools for LPG conversion required: removal lever (483196) and spanner (269605).

## Safety and Environment

- Flame failure device fitted to each individual burner
- 5-fold residual heat indicator
- Nozzle presetting/main jet: Natural gas 10 mbar (Australian)

#### **Dimensions**

- Installation dimensions: (H/W/D) 45 mm x 850 mm x 490 mm
- Appliance dimensions: (W/D) 916 mm x 527 mm
- Min. worktop thickness: 30 mm
- Power cord length: 100 cm with plug

### **Supplied Accessories**

- WOK attachment ring, cross support for espresso included.
- Liquid gas nozzles (28-30/37mbar) included



# Series 8, Gas cooktop, 90 cm, Ceramic, Black PRS9A6D70A

