



Model and design	
Combi steam oven	•
landleless	•
Design line	ArtLine
Colour	Obsidian Black
Convenience features	
apid heat-up	•
re-heat	•
external steam generation	•
Nimate sensor	•
ndividual humidity settings in combination cooking	•
Menu cooking without transfer of flavours	•
Prepare plated meals with "Mix & Match" app function	•
Vireless food probe	•
utomatic programmes with ability to make individual djustments	•
eeping warm	•
Crisp function	•
Operating modes	
perating modes	•
automatic programmes	•
Country-specific automatic programmes	•
ombination cooking	•
Combination cooking with Fan plus	
Combination cooking with Conventional heat	
Combination cooking with Full grill	
team cooking	•
ous-vide	•
deheating	•
loast with moisture	•
irill	•
conomy grill	•
an plus	
ntensive bake	•
Cake plus	•
Conventional heat	•
op heat	•
Bottom heat	•
an grill	•
co Fan plus	•
Plate warming	•
co steam cooking	•
pecial applications	•
Jser convenience	
Display	M Touch
fotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
MotionReact: audible signal is acknowledged when movement setected	•
MotionReact: detection of cabinet fronts	•





User convenience	
SoftOpen	•
SoftClose	•
Touch2Open	•
MultiLingual	•
MyMiele	•
Help function	•
Motorised opening and closing lift-up fascia panel	•
Quantity-independent cooking	•
Steam cooking on up to 3 levels at the same time	•
Automatic menu cooking with steam	
Steam reduction before end of programme	•
Polyphonic audible signal tones	•
Time display	•
Date display	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	
Actual temperature display	`
	_ `
Desired temperature display Audible signal when desired temperature is reached	_ `
	_ `
Recommended temperature	
User programmes	20
Sabbath programme	•
Individual settings	
Cleaning and care	
Stainless steel oven compartment with linen structure and PerfectClean finish	<u> </u>
Hinged grill element	•
External steam generator	•
Floor heater for condensate reduction	<u> </u>
Soak maintenance programme	•
Rinse maintenance programme	•
Oven compartment drying programme	•
Quick-release side racks	•
Removable side racks	•
Automatic descaling	•
CleanGlass door	•
Steam technology and water supply	
DualSteam	•
DirectWater	•
Drain connection	•
Drain filter	•
Appliance networking	
Miele@home	•
MobileControl	•
SuperVision display	•
WiFiConn@ct	•





Safety	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Vapour cooling system	•
Sensor lock	•
Technical data	
XL oven compartment	•
Oven compartment volume in I	48
No. of shelf levels	3
Shelf level labelling	•
Door hinge	Bottom
Oven light	BrilliantLight
Oven temperature regulation in °C	30-225
Steam oven temperature regulation in °C	40-100
Niche width in mm	560-568
Niche height in mm	450-452
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	456
Appliance depth in mm	572
Accessories supplied	
Universal tray with PerfectClean	1
Wire rack with PerfectClean	1
FlexiClip runners with PerfectClean	1 pair
Removable side racks with PerfectClean	1 pair
Perforated stainless steel cooking containers	2
Solid stainless steel cooking containers	1
Descaling tablets	2











