

G 7369 SCVi XXL AutoDos

Fully integrated dishwasher XXL with automatic dispensing thanks to AutoDos with integrated PowerDis



- Innovative design and maximum convenience 3D MultiFlex Tray
- Communication with the appliance couldn't be easier WiFiConn@ct
- Perfect results in less than one hour QuickPowerWash
- Versatile and secure ExtraComfort basket design

o AutoDos with integrated PowerDisk.	
Construction type	
Fully integrated dishwasher	•
60 cm dishwasher	•
XXL dishwasher	•
Design	
Control panel version	Fully integrated fascia
Control type	Softkeys
Display	1-line text display
Display colour	White
MultiLingua	•
Convenience	
Automatic dispensing with PowerDisk	•
Door closing aid	ComfortClose
Operating noise dB(A) re 1 pW	43
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	optical and acoustic
Display language selection	•
Efficiency and sustainability	
Water consumption in the Automatic programme in I from	6.0
EcoFeedback	•
EcoPower technology	•
Hot water connection	•
Half load	•
Gentle treatment of crockery and glassware	
AutoOpen drying	•
SensorDry	•
Active condensation drying	•
BrilliantGlassCare	•
Wash programmes	
ECO	•
Automatic	•
Intensive 75 °C	•
PowerWash 60 °C	•
QuickPowerWash	•
Hygiene	•
SolarSave	•
ExtraQuiet 40 dB(A)	•
Appliance care	•

Míele

G 7369 SCVi XXL AutoDos

Fully integrated dishwasher XXL with automatic dispensing thanks to AutoDos with integrated PowerDisk.




Dishwashing options	
IntenseZone	•
Express	•
AutoDos	•
extra clean	•
extra dry	•
Basket design	
Cutlery loading	3D MultiFlex tray
FlexCare glass holder	2
FlexCare cup rack	2
Basket design	ExtraComfort
Appliance networking	
Miele@home	
MobileControl	<u>•</u>
WiFiConn@ct	_ •
ShopConn@ct	•
AutoStart function	•
RemoteService	•
Safety	
Waterproof system	•
Filter indicator light	•
Technical data	•
Technical data Niche width in mm	600
Technical data Niche width in mm Niche height in mm	845
Technical data Niche width in mm Niche height in mm Niche depth in mm	
Technical data Niche width in mm Niche height in mm	845
Technical data Niche width in mm Niche height in mm Niche depth in mm	845 570
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm	845 570 598
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm	845 570 598 845
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm	845 570 598 845 570
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm	845 570 598 845 570 120.5
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm Net weight in kg	845 570 598 845 570 120.5 49.0
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm Net weight in kg Total rated load in kW	845 570 598 845 570 120.5 49.0 2.0
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm Net weight in kg Total rated load in kW Voltage in V	845 570 598 845 570 120.5 49.0 2.0 230
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm Net weight in kg Total rated load in kW Voltage in V Fuse rating in A	845 570 598 845 570 120.5 49.0 2.0 230 10
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm Net weight in kg Total rated load in kW Voltage in V Fuse rating in A Number of phases	845 570 598 845 570 120.5 49.0 2.0 230 10
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm Net weight in kg Total rated load in kW Voltage in V Fuse rating in A Number of phases Energy stars	845 570 598 845 570 120.5 49.0 2.0 230 10 1 4.5
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm Net weight in kg Total rated load in kW Voltage in V Fuse rating in A Number of phases Energy stars Water stars	845 570 598 845 570 120.5 49.0 2.0 230 10 1 4.5 6.0
Technical data Niche width in mm Niche height in mm Niche depth in mm Appliance width in mm Appliance height in mm Appliance depth in mm Depth with door open in cm Net weight in kg Total rated load in kW Voltage in V Fuse rating in A Number of phases Energy stars Water stars Length of water inlet hose in m	845 570 598 845 570 120.5 49.0 2.0 230 10 1 4.5 6.0 1.50



G 7369 SCVi XXL AutoDos

Fully integrated dishwasher XXL with automatic dispensing thanks to AutoDos with integrated PowerDisk.





G7000, fully integrated dishwasher, XXL, 60cm (installation

- Plinth height 35-155 mm
 Plinth height 100-220 mm
 Appliance height max. 970 mm with plinth height conversion kit (Mat.-Nr. 6.394.761)

