

## H 7860 BP 60 cm Oven



<b>Model and design</b>	
Built-in oven	•
Design line	PureLine
Colour	Stainless Steel/CleanSteel
<b>Convenience features</b>	
TasteControl	•
Rapid heat-up	•
Pre-heat	•
Wireless food probe	•
Keeping warm	•
Crisp function	•
<b>Operating modes</b>	
Defrost	•
Automatic programmes	•
Country-specific automatic programmes	•
Auto roast	•
Eco Fan plus	•
Grill	•
Economy grill	•
Fan plus	•
Intensive bake	•
Moisture plus	•
Moisture plus with Fan plus	•
Moisture plus with Conventional heat	•
Moisture plus with Intensive bake	•
Moisture plus with Auto roast	•
Low temperature cooking	•
Conventional heat	•
Top heat	•
Bottom heat	•
Fan grill	•
Special applications	•
<b>User convenience</b>	
Display	M Touch
MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
MotionReact: audible signal is acknowledged when movement is detected	•
MotionReact: detection of cabinet fronts	•
FoodView	•
SoftOpen	•
SoftClose	•
MultiLingual	•
MyMiele	•
Help function	•
Timed steam bursts programmable	•
Polyphonic audible signal tones	•
Time display	•
Clock synchronisation	•
Date display	•
Minute minder	•

## H 7860 BP 60 cm Oven



<b>User convenience</b>	
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Desired temperature display	•
Audible signal when desired temperature is reached	•
Recommended temperature	•
User programmes	20
Sabbath programme	•
Individual settings	•
<b>Efficiency and sustainability</b>	
Residual heat utilisation	•
<b>Cleaning and care</b>	
Stainless steel front with CleanSteel finish	•
Pyrolytic self-cleaning	•
Heated catalyser	•
Hinged grill element	•
CleanGlass door	•
<b>Appliance networking</b>	
Miele@home	•
MobileControl	•
SuperVision display	•
WiFiConn@ct	•
<b>Safety</b>	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Door lock during pyrolytic cleaning	•
Sensor lock	•
<b>Technical data</b>	
Oven compartment volume in l	76
No. of shelf levels	5
Shelf level labelling	•
Oven light	BrilliantLight
Temperature regulation in °C	30-300
Niche width in mm	560-568
Niche height in mm	590-595
Niche depth in mm	550
Appliance width in mm	554
Appliance height in mm	579
Appliance depth in mm	547
<b>Accessories supplied</b>	
Baking tray with PerfectClean	1
Universal tray with PerfectClean	1
Grilling and roasting insert	1
Wire rack with PyroFit	2
FlexiClip runners with PyroFit	1 pair
Removable side racks with PyroFit	1 pair
Descaling tablets	2

H 7860 BP  
60 cm Oven

