

H 7860 BP
60 cm Oven



| Model and design | |
|---|----------------|
| Built-in oven | • |
| Design line | VitroLine |
| Colour | Obsidian Black |
| Convenience features | |
| TasteControl | • |
| Rapid heat-up | • |
| Pre-heat | • |
| Wireless food probe | • |
| Keeping warm | • |
| Crisp function | • |
| Operating modes | |
| Defrost | • |
| Automatic programmes | • |
| Country-specific automatic programmes | • |
| Auto roast | • |
| Eco Fan plus | • |
| Grill | • |
| Economy grill | • |
| Fan plus | • |
| Intensive bake | • |
| Moisture plus | • |
| Moisture plus with Fan plus | • |
| Moisture plus with Conventional heat | • |
| Moisture plus with Intensive bake | • |
| Moisture plus with Auto roast | • |
| Low temperature cooking | • |
| Conventional heat | • |
| Top heat | • |
| Bottom heat | • |
| Fan grill | • |
| Special applications | • |
| User convenience | |
| Display | M Touch |
| MotionReact: light comes on when movement is detected | • |
| MotionReact: display comes on when movement is detected | • |
| MotionReact: audible signal is acknowledged when movement is detected | • |
| MotionReact: detection of cabinet fronts | • |
| FoodView | • |
| SoftOpen | • |
| SoftClose | • |
| MultiLingual | • |
| MyMiele | • |
| Help function | • |
| Timed steam bursts programmable | • |
| Polyphonic audible signal tones | • |
| Time display | • |
| Clock synchronisation | • |
| Date display | • |
| Minute minder | • |

H 7860 BP
60 cm Oven



| User convenience | |
|--|----------------|
| Programmable start of cooking duration | • |
| Programmable end of cooking duration | • |
| Programmable cooking duration | • |
| Actual temperature display | • |
| Desired temperature display | • |
| Audible signal when desired temperature is reached | • |
| Recommended temperature | • |
| User programmes | 20 |
| Sabbath programme | • |
| Individual settings | • |
| Efficiency and sustainability | |
| Residual heat utilisation | • |
| Cleaning and care | |
| Pyrolytic self-cleaning | • |
| Heated catalyser | • |
| Hinged grill element | • |
| CleanGlass door | • |
| Appliance networking | |
| Miele@home | • |
| MobileControl | • |
| SuperVision display | • |
| WiFiConn@ct | • |
| Safety | |
| Appliance cooling system and touch-cool front | • |
| Safety switch-off | • |
| System lock | • |
| Door lock during pyrolytic cleaning | • |
| Sensor lock | • |
| Technical data | |
| Oven compartment volume in l | 76 |
| No. of shelf levels | 5 |
| Shelf level labelling | • |
| Oven light | BrilliantLight |
| Temperature regulation in °C | 30-300 |
| Niche width in mm | 560-568 |
| Niche height in mm | 590-595 |
| Niche depth in mm | 550 |
| Appliance width in mm | 554 |
| Appliance height in mm | 579 |
| Appliance depth in mm | 547 |
| Accessories supplied | |
| Baking tray with PerfectClean | 1 |
| Universal tray with PerfectClean | 1 |
| Grilling and roasting insert | 1 |
| Wire rack with PyroFit | 2 |
| FlexiClip runners with PyroFit | 1 pair |
| Removable side racks with PyroFit | 1 pair |
| Descaling tablets | 2 |

H 7860 BP
60 cm Oven

