


GAS COOKTOPS

Gas Cooktops


Like their oven counterparts, the new generation of Wolf gas cooktops features two new looks—transitional and professional. New performance enhancements make delicious results even more of a certainty than ever. Multiple sizes, choice of knob colors, and distinctly different grates—the new gas cooktops offer exceptional design flexibility.

GAS COOKTOPS

TRANSITIONAL




ICBCG304T/S




ICBCG365T/S

PROFESSIONAL



ICBCG304P/S




ICBCG365P/S


GAS COOKTOPS

Gas Cooktops


76 cm TRANSITIONAL




91 cm TRANSITIONAL



76 cm PROFESSIONAL



91 cm PROFESSIONAL



BURNER RATING

76 cm COOKTOP		kW
Large		5.3
Medium		3.5
(2) Small		2.7
91 cm COOKTOP		kW
Large		5.3
Medium		3.5
(3) Small		2.7

GAS COOKTOPS

Planning Information

A minimum 51 mm is required from the bottom of the cooktop to combustible materials. If a cooktop is installed above an oven, a minimum of 6 mm is required between the units.

ELECTRICAL REQUIREMENTS

Installation must comply with all applicable electrical codes and be properly grounded (earthed).

Locate the electrical supply as shown in the illustration on the following pages. A separate circuit servicing only this appliance is required. A ground fault circuit interrupter (GFCI) is not recommended and may cause interruption of operation.

ELECTRICAL REQUIREMENTS

Electrical Supply	220-240 V AC, 50/60 Hz
Service	0.2 A
Receptacle	grounding-type (earthed)
Power Cord	1.8 m

GAS SUPPLY

Installation must conform with all applicable gas codes.

A gas supply line of 19 mm rigid pipe must be provided to the cooktop. If local codes permit, a certified, .9 m long, 13 mm or 19 mm ID flexible metal appliance connector is recommended to connect the units $\frac{1}{2}$ " NPT (or ISO 7/1-14) male inlet to the gas supply line.

The gas cooktops contain a regulator for natural gas and LP gas.

Wolf natural gas cooktops will function up to 3124 m in altitude without adjustment and LP gas cooktops will function up to 2621 m. If the installation exceeds these elevations, contact an authorized Wolf dealer for a high altitude conversion kit.


GAS REQUIREMENTS

NATURAL GAS	WC
Supply Pressure	12.5 mbar
LP GAS	WC
Supply Pressure	25 mbar


GAS COOKTOPS

76 cm / 91 cm Cooktop


STANDARD INSTALLATION



COUNTERTOP CUTOUT



SIDE VIEW



FRONT VIEW

*NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.
Electrical and gas supply location only applies to installations with built-in oven.*

CUTOUT WIDTH	W
76 cm Cooktop	737 mm
91 cm Cooktop	889 mm