

MODULE COOKTOPS

Module Cooktops

Wolf 38 cm modules have been redesigned to match the updated lines of Sub-Zero and Wolf. Controls, grates, and trim allow them to integrate perfectly with their larger counterparts and deliver equal performance. Combine modules à la carte-style to create a custom cooktop, or add specialty functions alongside an existing cooktop. Full-size cooktops including ICBCI243TF/S, ICBCI304TF/S, and ICBCI365TF/S feature the same brushed stainless frame, making them ideal for pairing with modules.

MODULE COOKTOPS



ICBCI152TF/S
INDUCTION



ICBSM15TF/S
STEAMER



ICBGM15TF/S
GRILL



ICBTM15TF/S
TEPPANYAKI



ICBCG152TF/S
GAS




ICBMM15TF/S
MULTIFUNCTION


MODULE COOKTOPS

Module Cooktops


INDUCTION




STEAMER




GRILL




TEPPANYAKI



GAS



MULTIFUNCTION



MODULE COOKTOPS

Planning Information

IMPORTANT NOTE: Wolf does not recommend the use of downdraft ventilation with the steamer or grill modules.


A minimum 51 mm is required from the bottom of the module to combustible materials. For the teppanyaki module, a minimum 22 mm is required from the bottom of the unit to any material.

Refer to illustrations on the following pages for installation of modules.

When multiple modules are installed side by side, refer to the chart and illustration below for typical configurations. The cutout dimensions provided will accommodate the use of an optional filler strip if desired.

COUNTERTOP CUTOUT	W*
(2) 38 cm Modules	737 mm
(3) 38 cm Modules	1118 mm
(4) 38 cm Modules	1505 mm
(5) 38 cm Modules	1886 mm
(6) 38 cm Modules	2267 mm

*Dimensions apply to ICBCI152TF/S, ICBCCE152TF/S, ICBCG152TF/S, ICBSM15TF/S, ICBGM15TF/S, ICBTM15TF/S and ICBMM15TF/S.



Countertop cutout.

MODULE COOKTOPS

Planning Information

ELECTRICAL

Installation must comply with all applicable electrical codes and be properly grounded (earthed).

Locate the electrical supply as shown in the illustrations on the following pages. A separate circuit, servicing only this appliance is required.

The induction cooktop is supplied with a single phase and 3-phase convertible power inlet box.

When multiple cooktops or modules are installed side by side, each must have its own separate electrical supply.

ELECTRICAL REQUIREMENTS

INDUCTION MODULE

Single Phase	220-240 VAC, 50/60 Hz
3-Phase	380-415 V AC 50 Hz
Total Amps	16

ELECTRIC MODULES

Electrical Supply	220-240 VAC, 50/60 Hz
Steamer, Teppanyaki	2700 W
Grill	2800 W

GAS MODULES

Electrical Supply	220-240 VAC; 50/60 Hz
Service	0.2 A
Receptacle	3-prong grounding-type
Power Cord	1.8 m

DRAIN OUTLET

The steamer module requires a method for draining hot water. Options include connecting a drain hose from the 16 mm outlet tied into an existing drain, a separate drain with freefall, or placing a heat-resistant receptacle under the drain outlet.

GAS SUPPLY

Installation must conform with all applicable gas codes.

For gas modules, a gas supply line of 19 mm rigid pipe must be provided to the module. If local codes permit, a certified, .9 m long, 13 mm, or 19 mm ID flexible metal appliance connector is recommended to connect the units ISO 7/1-14 male inlet to the gas supply line.

When multiple gas cooktops or modules are installed side by side, they can receive their gas supply from a common line. However, each unit must have its own regulator installed between the mainline and the cooktop or module.

Wolf natural gas cooktops will function up to 3124 m in altitude without adjustment and LP gas cooktops will function up to 2621 m. If the installation exceeds these elevations, contact an authorized Wolf dealer for a high altitude conversion kit.


GAS REQUIREMENTS

NATURAL GAS		WC
Supply Pressure		25 mbar
LP GAS		WC
Supply Pressure		37 mbar


MODULE COOKTOPS

Induction Module

STANDARD INSTALLATION



COUNTERTOP CUT-OUT



SIDE VIEW


FRONT VIEW

NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.

MODULE COOKTOPS

Steamer Module

STANDARD INSTALLATION




NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.


MODULE COOKTOPS

Grill | Teppanyaki Module


STANDARD INSTALLATION



COUNTERTOP CUT-OUT



SIDE VIEW




FRONT VIEW

NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.


MODULE COOKTOPS

Gas | Multifunction Module


STANDARD INSTALLATION



COUNTERTOP CUT-OUT



SIDE VIEW



FRONT VIEW

NOTE: Shaded area above countertop indicates minimum clearance to combustible surfaces, combustible materials cannot be located within this area.