

G 5210 SCU Active Plus

Built-under dishwashers

for optimum drying results thanks to AutoOpen drying.



- Perfect results in less than one hour – QuickPowerWash
- Wonderful use of space – the 3D MultiFlex tray with more room for your cutlery
- Save up to 50 % electricity with the Miele hot water connection
- Flexible basket design perfect for everyday use – Comfort baskets



Model	
Built-under dishwasher	•
60 cm dishwasher	•
Design	
Control panel colour	Stainless steel/CleanSteel
Control panel version	Straight fascia
Control type	Programme selector button
Display	3-digit 7-segment display
Display colour	Yellow
Convenience	
Door closing aid	AutoClose
Operating noise dB(A) re 1 pW	45
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	Display
Efficiency and sustainability	
Water consumption in the Automatic programme in l from	6
Noise emissions in dB(A)	45
EcoPower Technology	•
Proven hygiene	•
Hot water connection	•
Reduced load	•
Quality of results	
Fresh water dishwasher	•
AutoOpen drying	•
SensorDry	•
Active condensation drying	•
BrilliantGlassCare	•
Wash programmes	
QuickPowerWash	•
ECO	•
Automatic	•
Intensive 75 °C	•
Gentle	•
Dishwashing options	
Extra Economical	•
Express	•
Extra Clean	•
Extra dry	•
Basket design	
Cutlery loading	3D MultiFlex tray
FlexCare cup rack	1
Basket design	Comfort

G 5210 SCU Active Plus

Built-under dishwashers

for optimum drying results thanks to AutoOpen drying.




Safety	
Waterproof system	•
Safety lock	•
Technical data	
Niche width minimal in mm	600
Niche width max in mm	600
Niche height minimal in mm	805
Niche height maximal in mm	870
Niche depth in mm	570
Appliance width in mm	598
Appliance height in mm	805
Appliance depth in mm	570
Depth with door open in cm	116.5
Net weight in kg	45
Total rated load in kW	2
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Electrical frequency standard	50
Energy stars	4.5
Water stars	6
Length of water inlet hose in cm	1.5
Length of water drain hose in cm	1.5
Length of supply lead in m	1.9
Accessories supplied	
Voucher for 1 x box of UltraTabs (20 tabs) or 3 boxes (60 tabs in each) at a reduced price	•

G 5210 SCU Active Plus

Built-under dishwashers

for optimum drying results thanks to AutoOpen drying.



G7000, built under, dishwasher, 60cm (installation drawing)

1) Appliance height max. 930 mm with plinth height conversion kit (Mat.-No. 6.394.761)