

G 5481 SCVi SL Active

Fully integrated dishwasher, 45 cm

in tried-and-tested Miele quality at an affordable entry-level price.



- Perfect results in less than one hour – QuickPowerWash
- Very easy door opening and closing – ComfortClose
- Save up to 50 % more electricity – hot water connection
- Maximum versatility – Height-adjustable upper basket
- Versatile and secure – comfort basket design

Construction type	
Fully integrated dishwasher	•
45 cm dishwasher	•
Design	
Fascia colour	Stainless Steel.
Control panel version	Fully integrated fascia
Control type	Programme selector button
Display	3-digit 7-segment display
Display colour	Yellow
Convenience	
Door closing aid	ComfortClose
Operating noise dB(A) re 1 pW	46
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	Control indicator
Efficiency and sustainability	
Water consumption in the Automatic programme in l from	6.0
EcoPower technology	•
Proven hygiene	•
Hot water connection	•
Half load	•
Gentle treatment of crockery and glassware	
Active condensation drying	•
Wash programmes	
ECO	•
Intensive 75 °C	•
Gentle	•
QuickPowerWash	•
Dishwashing options	
Short	•
Express	•
extra clean	•
extra dry	•
Basket design	
Cutlery loading	Cutlery tray
Basket design	Comfort 45 cm
Safety	
Waterproof system	•

G 5481 SCVi SL Active

Fully integrated dishwasher, 45 cm

in tried-and-tested Miele quality at an affordable entry-level price.




Technical data	
Niche width in mm	450
Niche height in mm	805
Niche depth in mm	570
Appliance width in mm	448
Appliance height in mm	805
Appliance depth in mm	570
Depth with door open in cm	116.5
Net weight in kg	40.8
Total rated load in kW	2.0
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Energy stars	3.5
Water stars	4.5
Length of water inlet hose in m	1.50
Length of water drain hose in m	1.50
Length of supply lead in m	1.90
Min. - max. front panel weight in kg	2.0

Miele


G 5481 SCVi SL Active

Fully integrated dishwasher, 45 cm
in tried-and-tested Miele quality at an affordable entry-level price.



G7000, fully integrated dishwasher, 45cm (installation drawing)

- 1) Plinth height 35-155 mm
- 2) Plinth height 100-220 mm
- 3) Appliance height max. 970 mm with plinth height conversion kit (Mat.-Nr. 6.394.761)



G7000, fully integrated dishwasher, 45cm (installation drawing)