


G 7130 SCi AutoDos

Integrated dishwasher

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



- Wonderful use of space – the 3D MultiFlex tray with more room for your cutlery
- More information options and modern domestic appliance networking – Miele@home
- Completely dry – Miele AutoOpen drying
- Very easy door opening and closing – ComfortClose



Model	
Integrated dishwasher	•
60 cm dishwasher	•
Design	
Control panel colour	Stainless steel/CleanSteel
Control panel version	Straight fascia
Control type	Programme selector buttons
Display	1-line text display
Display colour	White
MultiLingua	•
Convenience	
Networking with Miele@home	•
Automatic dispensing with PowerDisk	•
Door closing aid	AutoClose
Operating noise dB(A) re 1 pW	43
Time left display	•
Delay start up to 24 hours	•
In-operation indicator light	Display
Display language selection	•
Efficiency and sustainability	
Water consumption in the Automatic programme in l from	6
Noise emissions in dB(A)	43
EcoFeedback	•
EcoPower Technology	•
Proven hygiene	•
Hot water connection	•
Reduced load	•
Quality of results	
Fresh water dishwasher	•
AutoOpen drying	•
SensorDry	•
Active condensation drying	•
BrilliantGlassCare	•

G 7130 SCi AutoDos

Integrated dishwasher

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



Wash programmes	
QuickPowerWash	•
ECO	•
Automatic	•
ComfortWash 45 °C	•
Intensive 75 °C	•
PowerWash	•
ComfortWash+ 55 °C	•
Gentle	•
ExtraQuiet 39 dB(A)	•
Appliance care	•
Rinse out salt	•
Dishwashing options	
AutoDos	•
BottleClean	•
Quick	•
IntenseZone	•
Extra Clean	•
Extra dry	•
Basket design	
Cutlery loading	3D MultiFlex tray
FlexCare glass holder	2
FlexCare cup rack	1
Basket design	ExtraComfort
MultiClip	•
FlexCare Glass & Bottle	•
XL Assist	•
Safety	
Waterproof system	•
Filter indicator light	•
Safety lock	•

G 7130 SCi AutoDos

Integrated dishwasher

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



Technical data	
Niche width minimal in mm	600
Niche width max in mm	600
Niche height minimal in mm	805
Niche height maximal in mm	870
Niche depth in mm	570
Appliance width in mm	598
Appliance height in mm	805
Appliance depth in mm	570
Depth with door open in cm	116.5
Net weight in kg	48.2
Total rated load in kW	2
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Electrical frequency standard	50
Energy stars	4.5
Water stars	6
Length of water inlet hose in cm	1.5
Length of water drain hose in cm	1.5
Length of supply lead in m	1.9
Min. front panel weight in kg	3
Max. front panel weight in kg	11
[can be retrofitted by Service to min.]	8
[can be retrofitted by Service to max.]	17
Accessories supplied	
1 x PowerDisk	•
Voucher for 6 x PowerDisks	•
Available display languages	


Available display languages via MultiLingua

deutsch
english (AU)
english (GB)

G 7130 SCi AutoDos

Integrated dishwasher

with automatic dispensing thanks to AutoDos with integrated PowerDisk.



G7000, integrated dishwasher, 60cm (installation drawing)

1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm,
3) Appliance height max. 930 mm with plinth height
conversion kit (Mat.-Nr. 6.394.761)