

#### TWD640WP EcoSpeed&9kg

#### T1 heat-pump dryer:

9 kg | DirectSensor | DryCare 40 | HygieneDry | Miele@home



- Heat pump technology low consumption, gentle drying
- Save time sorting your laundry;
  DryCare 40 is perfect for a 40 °C wash\*
- EcoSpeed efficiently reduces the drying time by 20 minutes\*
- HygieneDry removes up to 99.99 % of bacteria\* and 99.9 % of viruses\*

Construction type	
Suitable for stacking	
Side-by-Side	•
Slot-in	•
Door hinge	left Reversible
Model	
Product brand	T1 White Edition
Heat-pump dryer	•
Design	
Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Obsidian Black with white ring
Rotary selector colour	Lotus White
Control panel version	5° inclined
Control type	Rotary selector
Display	DirectSensor white, 7 segment
Drying results	
PerfectDry precision drying	•
FragranceDos fragrance system	•
Intelligent drum reversal	•
HygieneDry	•
Gentle laundry care	
Honeycomb drum	•
Load in kg	9
User convenience	
Networking with Miele@home	<u>•</u>
Wash2Dry	. •
Delay start up to 24 hours	<u>•</u>
Time left display	•
Drum lighting	LED
Condensate container	•
Integrated condensed water drainage	•
AddLoad	•
Efficiency and sustainability	
EcoDry technology	•
Maintenance-free heat exchanger	•
ProfiEco motor	•
EcoSpeed	•



# TWD640WP EcoSpeed&9kg

### T1 heat-pump dryer:

9 kg I DirectSensor I DryCare 40 I HygieneDry I Miele@home



., 9	
Drying programmes	
Cottons (coloureds)	•
ECO	<u> </u>
Minimum iron	
Delicates	•
Shirts	•
Woollens handcare	•
Express	•
Proofing	•
Bed linen	•
Warm air/DryFresh	•
Drying extras	
Anti-crease	•
Buzzer	•
DryCare 40	•
Quality	
Soft ribs	•
Safety	
PIN code	<u>•</u>
Empty out container indicator	<del>•</del>
Clean filter indicator	<u>•</u>
Optical interface	•
Technical data	500
Dimensions in mm (width)	596
Dimensions (H x W x D) in mm	850 x 596 x 643
Dimensions in mm (height)	850
Dimensions in mm (depth)	643
Appliance depth in mm with opened door	1077
Weight in kg	54
Total rated load in kW	1.1
Voltage in V	230
Fuse rating in A	10
Frequency in Hz	50
Length of supply lead in m	2
Hermetically sealed	•
Type of coolant	R290
Refrigerant quantity in kg	0.14
Refrigerant global warming potential in CO <sub>2</sub> e	3
Appliance global warming potential in CO <sub>2</sub> e	0.42
Accessories supplied	
Fragrance flacon	•
Voucher for a second fragrance flacon	•




# TWD640WP EcoSpeed&9kg


### T1 heat-pump dryer:

### 9 kg | DirectSensor | DryCare 40 | HygieneDry | Miele@home







T1 drawing, facia 5 degree, measures in mm



T1 drawing, facia 5 degree, measures in mm



T1 installation drawing, facia 5 degree, measures in mm



T1 drawing, facia 5 degree, with porthole, measures in mm