

WEA125 WCS 8kg Active

W1 front loader washing machine:

A -10 %* I 8 kg I 1400 rpm I CapDosing I Honeycomb drum I AddLoad



- Save even more energy with A 10 %*
- Exclusive CapDosing range for different fabrics and stains*
- Our honeycomb drum ensures that laundry stays in perfect condition
- Add or remove individual items during the wash cycle with AddLoad

Construction type	
Suitable for stacking	•
Side-by-side	•
Built-in	•
Can be built-under	•
Door hinge	right
Model	
Product brand	W1 Chrome Edition
Front-loader	•
Spinning	
Max. spin speed	1400
Rinse hold	•
Without spin function	•
Design	
Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Graphite Grey PearlFinish
Rotary selector colour	Lotus White
Control panel version	Straight
Control type	Rotary selector
Display	EasyControl yellow
Cleaning performance	
CapDosing portioned dispensing	•
Gentle laundry care	
Honeycomb drum	•
Load in kg	8
User convenience	
Delay start up to 24 hours	<u>•</u>
Time left display	•
AutoClean detergent drawer	•
AddLoad	•
Efficiency and sustainability	
More economical than the threshold value (52) for energy efficiency class A	10%
Low temperature wash "Cold" and "20 °C"	•
Automatic load control	•
Flow meter	•
Foam sensing	•
ProfiEco motor	•



WEA125 WCS 8kg Active

W1 front loader washing machine:

A -10 $\%^{\star}$ I 8 kg I 1400 rpm I CapDosing I Honeycomb drum I AddLoad



Wash programmes	
Cottons (coloureds)	•
Cottons with pre-wash	•
Minimum iron	•
Delicates	•
Woollens (hand-washable)	•
Express 20	•
Dark garments/Denim	•
Outerwear	•
Proofing	•
Separate rinse/Starch	•
Drain/Spin	•
ECO 40-60	•
Washing extras	
Short	•
Soak	•
Water plus	•
Additional rinse cycle	•
Safety	
Water protection system	Watercontrol-System
Safety lock	<u> </u>
PIN code	•
Optical interface	•
Technical data	
Dimensions in mm (width)	596
Dimensions (H x W x D) in mm	850 x 596 x 636
Dimensions in mm (height)	850
Dimensions in mm (depth)	636
Appliance depth in mm with opened door	1054
Appliance depth w/o door in mm	600
Weight in kg	82
Total rated load in kW	2.3
Voltage in V	230
Fuse rating in A	10
Frequency in Hz	50
Length of water inlet hose in m	1.6
Length of water drain hose in m	1.5
Length of supply lead in m	2




WEA125 WCS 8kg Active

W1 front loader washing machine:

A -10 %* I 8 kg I 1400 rpm I CapDosing I Honeycomb drum I AddLoad







W1 installation drawing, slanted facia or straight facia, measures in mm



W1 drawing, slanted facia or straight facia, measures in mm





W1 drawing, slanted facia or straight facia, measures in mm W1 drawing, slanted facia or straight facia, measures in mm