


N 90, Built-in oven with steam function, Graphite-Grey
B48FT78G0



COOKING PASSION SINCE 1877



Built-in oven with FullSteam and SLIDE&HIDE - combining all heating types and steam cooking in a single oven with unrestricted access.

- ✓ Slide&Hide – The unique fully disappearing oven door.
- ✓ CircoTherm – Smart hot-air solution that lets you bake on up to four levels.
- ✓ NEFFLight - Illumination of all four oven levels, even with the door shut.
- ✓ Eco Clean with Base Clean - The duo that makes oven cleaning easier.
- ✓ Full Touch Control – Simple, precise control by touch on the high-resolution TFT colour display.

Features

Technical Data

Color / Material Front : Graphite
Built-in / Free-standing : Built-in
Door opening : Drop down
Integrated Cleaning system : Catalytic all sides
Control Panel Material : Glass
Door Material : Glass
Dimensions : 595 x 596 x 548 mm
Dimensions of the packed product (HxWxD) : 660 x 650 x 690 mm
Min. required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm
Cavity dimensions : 355 x 480 x 415 mm
Usable volume (of cavity) - NEW (2010/30/EC) : 71 l
Number of interior lights : 3
Net weight : 43.7 kg
Gross weight : 46.4 kg
EAN code : 4242004254652
Connection Rating : 3600 W
Fuse protection : 16 A
Voltage : 220-240 V
Frequency : 50; 60 Hz
Length electrical supply cord : 120 cm



4 242004 254652

N 90, Built-in oven with steam function, Graphite-Grey
B48FT78G0



COOKING PASSION SINCE 1877

Features

Heating Functions

- FullSteam oven with 13 cooking functionsheating methods:
CircoTherm / HotAir
Bread Baking Full surface grill CircoTherm Eco Centre area grill
Top/Bottom heat Top/Bottom heat Eco CircoTherm Intensive /
Pizza setting Low temperature / slow cooking Bottom heat
CircoRoasting Plate warming Keep warm
- Additional heating methods with steam:
FullSteam: 100% Steam
Reheat Dough Proving Defrost setting Sous-vide
- Temperature range 40 °C - 250 °C

Design

- Cavity volume: 71 l
- Graphite-Grey Edition
- Anthracite enamel cavity with 4 shelf positions

Cleaning

- Easy Clean cleaning program: Just add 400ml water and a drop of washing-up liquid in the base pan (recessed area on the bottom of the oven cavity) and run the EasyClean program. This helps to soften baked-on residue so that you can just wipe it down for fast and uncomplicated cleaning
- Additional functions:
Descaling program: A descaling function to remove limescale from the steam generator
Drying function: Dries the cooking compartment after a steam function

Convenience

- 5.7" TFT colour and graphics display with FullTouch control
- Built in cooking functions: Baking and Roasting Assistant: Takes the guess work out by recommending the ideal heating mode, temperature and time for a wide variety of dishes, which you can manually adjust to your desire to ensure perfect results, Automatic programs: Select a program, enter the weight of your food, and

the automatic program will apply the most optimal settings, no manual settings required

- automatic programming, 38 PC automatic programs
- MultiPoint MeatProbe: measures the inside heat at three points to ensure the right core temperature is reached and the meat is cooked for the correct duration of time
- Electronic clock
- Rapid heat-up: Reduce the preheat time at the touch of a button
- Independent oven interior light button, LED lighting, Neff Light: Bright and brilliant lighting for all cooking levels
- Water tank empty indicator
- Location of the steam generator is outside of the cavity.
- Cooling fan
- Stainless-steel fan
- Individual adjustable child lock
Residual heat indicator Safety switch off Start button door contact switch Automatic door lock during pyrolysis
- HomeConnect ready on Wi-Fi, Home Connect helps you to unleash your cooking creativity by allowing you to manage your oven and coffee machine over your Wi-Fi. Tap via the app, speak to your oven with voice control, and make appliances interact with one another automatically. Home Connect is an ever-growing platform that brings the future to your kitchen.

Rails

- Telescopic rails: Comfort Flex shelf supports (includes 1 telescopic rail), with safety stop function, full extension

Accessories




- 1 x Universal pan, Enamelled baking tray, Small perforated stainless steel tray, Large perforated stainless steel tray, Small solid stainless steel tray, 1 x Wire rack, sponge

Technical Information

- Length of mains cable: 120 cm
- Total connected load electric: 3.6 KW
- Appliance dimension (HxWxD): 595 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing
- Nominal voltage: 220 - 240 V

N 90, Built-in oven with steam function, Graphite-Grey
B48FT78G0

Dimensioned drawings



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm