



## SINGLE MOTOR DUCTING

I/I: Inside to Inside Measurement

## NOTE:

This Zinc Alume Strip is provided to join some duct pieces together. It will be clearly shown on the drawing of the piece it is supplied with.





QASAIR RESERVES THE RIGHT TO CHANGE SPECIFICATION WITHOUT NOTICE ® IS A REGISTERED TRADE MARK MADE IN RINGWOOD 3134




QASAIR RESERVES THE RIGHT TO CHANGE SPECIFICATION WITHOUT NOTICE ® IS A REGISTERED TRADE MARK MADE IN RINGWOOD 3134





▼ SINGLE MOTOR













**141.** RC 1 SS Roof Cowl Single Motor 445M2 Stainless Steel

**143.** FRWV-H-1 SS Fire Rated Wall Vent Horizontal 445M2 Stainless Steel





**145.** BD/WV/K-H-1 Back Draft Wall Vent & Cover Single Motor Horizontal kit assembled as one piece

## ROOF COWLS, WALL VENTS AND WALL VENT COVERS

All the above ducting pieces are all made in stainless steel type 445M2 which has a chromium content of 22% which is far greater than marine grade stainless steel and provides better protection.

This is stated on the description of each piece in the ducting brochure.

## WALL VENT COVERS SPECIFICATIONS FIRE RATED APPROVED

The wall vent covers have stainless steel screening type 316 and meets the requirements for stainless steel screening under the Australian Standard.

AS 3959-2009 Construction of Buildings in Bushfire prone areas.

QASAIR RESERVES THE RIGHT TO CHANGE SPECIFICATION WITHOUT NOTICE ® IS A REGISTERED TRADE MARK MADE IN RINGWOOD 3134

