

TWJ660 WP Eco&9kg

T1 Heat-pump tumble dryer

With 1–9 kg load and WiFiConn@ct for intelligent laundry care.



- Savings for the life of your tumble dryer – EcoDry technology
- Quickly switch between 2 favourite fragrances – FragranceDos²
- Very large loads 1–9 kg
- Display & convenient operation at your fingertips – ComfortSensor
- Smart laundry care with WiFiConn@ct

Construction type	
Suitable for stacking	•
Side-by-side	•
Slot-in	•
Door hinge	left
Convertible hinging	•
Model	
Heat pump dryer	•
Design	
Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Obsidian black with chrome ring
Rotary selector colour	Lotus White / Chrome ring
Control panel version	5° incline
Control type	Rotary selector
Display	DirectSensor white, 1 line
Drying results	
Perfect Dry	•
FragranceDos ²	•
Intelligent drum reversal	•
Gentle laundry care	
Honeycomb drum	•
Load in kg	9.0
User convenience	
Delay start up to 24 hours	•
Time left display	•
Drum lighting	LED
MultiLingua	•
Acoustics package for the lowest sound emissions	•
Condensate container	•
Integrated condensed water drainage	•
AddLoad	•
Efficiency and sustainability	
EcoFeedback function	•
EcoDry technology	•
Maintenance-free heat exchanger	•
ProfiEco motor	•

TWJ660 WP Eco&9kg

T1 Heat-pump tumble dryer

With 1–9 kg load and WiFiConn@ct for intelligent laundry care.



Drying programmes	
Automatic plus	•
Cottons (coloureds)	•
Cottons Eco	•
Minimum iron	•
Delicates	•
Shirts	•
Silks handcare	•
Woolens handcare	•
Express	•
Denim	•
Outerwear	•
Proofing	•
Sportswear	•
Standard pillows	•
Cool air	•
Warm air	•
Basket programme	•
Pre-ironing	•
Bed linen	•
Drying options	
Anti-crease	•
Gentle tumble	•
Freshen up	•
Buzzer	•
Appliance networking	
Miele@home	•
MobileControl	•
WiFiConn@ct	•
Quality	
Soft ribs	•
Safety	
PIN code lock	•
"Empty out container" indicator	•
"Clean filter" indication	•
Optical interface	•

TWJ660 WP Eco&9kg

T1 Heat-pump tumble dryer

With 1–9 kg load and WiFiConn@ct for intelligent laundry care.



Technical data	
Dimensions in mm (width)	596
Dimensions in mm (height)	850
Dimensions in mm (depth)	643
Appliance depth in mm with opened door	1,077
Weight in kg	60
Total rated load in kW	1.1
Voltage in V	230
Fuse rating in A	10
Length of supply lead in m	2
Contains fluorinated greenhouse gases	•
Hermetically sealed	•
Type of coolant	R450A
Standard accessories	
Fragrance flacon	•
Voucher for a second fragrance flacon	•